

artifax

Power Adapter USB C (45W)



PA451

Contact Information

845 905 9329
care@artifax.in
www.artifax.in

I Product Overview


The Artifax Power Adapter is a compact, high-efficiency wall charger designed to safely and quickly charge a wide range of devices including smartphones, tablets, earbuds, power banks, and other USB-powered electronics.

I Features

Single USB-C output port
Maximum output power: 45W
Supports multiple fast-charging protocols
Wide AC input voltage range
Compact, lightweight design
Built-in safety protections

I Package Contents

1 × Artifax USB C 45W Power Adapter
1 × User Manual
1 × Warranty Card



I Technical Parameters

VOLTAGE	VOLTAGE RANGE	MIN LOAD	RATED LOAD	OUTPUT POWER
5V DC	4.75-5.40V	0.1A	3A	15W
9V DC	8.55-9.45V	0.1A	3A	27W
12V DC	11.4-12.6V	0.1A	3.75A	45W

I Electrical Performance

Turn-On Delay Time: ≤ 3 seconds
Rise Time: ≤ 100 ms
Hold-Up Time: ≥ 8 ms
Fall Time: ≤ 50 ms

I Troubleshooting

Device not charging
Ensure the power outlet is active
Use a certified USB-C cable Check device compatibility

Adapter feels warm
This is normal during fast charging
Ensure airflow is not blocked

I How to Use

1. Plug the power adapter directly into a wall socket.
2. Connect your device using a compatible USB-C cable.
3. Charging will start automatically.
4. Unplug the adapter when not in use for energy saving.

I Care & Maintenance

1. Clean using a dry, soft cloth only.
2. Do not use chemical cleaners.
3. Store in a cool and dry place.
4. Avoid dropping or applying excessive force.

I Compliance & Protection

- Over-voltage
- Over-current
- Short circuit
- Over-temperature

CUSTOMER SUPPORT

For warranty, service, or support information, please contact your authorized Artifax retailer or distributor.

70.00 mm

105.00 mm

artifax

Power Adapter USB C (45W)



Contact Information

📞 845 905 9329
✉️ care@artifax.in
🌐 www.artifax.in

I Product Overview

The Artifax Power Adapter is a compact, high-efficiency wall charger designed to safely and quickly charge a wide range of devices including smartphones, tablets, earbuds, power banks, and other USB-powered electronics.

I Features

Single USB-C output port

Maximum output power: 45W

Supports multiple fast-charging protocols

Wide AC input voltage range

Compact, lightweight design


Built-in safety protections

I Package Contents

1 × Artifax USB C 45W Power Adapter

1 × User Manual

1 × Warranty Card



I Technical Parameters

VOLTAGE	VOLTAGE RANGE	MIN LOAD	RATED LOAD	OUTPUT POWER
5V DC	4.75-5.40V	0.1A	3A	15W
9V DC	8.55-9.45V	0.1A	3A	27W
12V DC	11.4-12.6V	0.1A	3.75A	45W

I Electrical Performance

Turn-On Delay Time: ≤ 3 seconds

Rise Time: $\leq 100\text{ms}$

Hold-Up Time: $\geq 8\text{ms}$

Fall Time: $\leq 50\text{ms}$

I Troubleshooting

Device not charging

Ensure the power outlet is active

Use a certified USB-C cable Check device compatibility

Adapter feels warm

This is normal during fast charging

Ensure airflow is not blocked

I How to Use

1. Plug the power adapter directly into a wall socket.
2. Connect your device using a compatible USB-C cable.
3. Charging will start automatically.
4. Unplug the adapter when not in use for energy saving.

I Care & Maintenance

1. Clean using a dry, soft cloth only.
2. Do not use chemical cleaners.
3. Store in a cool and dry place.
4. Avoid dropping or applying excessive force.

I Compliance & Protection



Over-voltage



Over-current



Short circuit



Over-temperature

CUSTOMER SUPPORT

For warranty, service, or support information, please contact your authorized Artifax retailer or distributor.